RECEIVED **CENTRAL FAX CENTER**

APR 18 2006

HEWLETT-PACKARD COMPANY Intellectual Property Administration P.O. Box 272400

PATENT APPLICATION

Fort Collins, Colorado 80527-2400

ATTORNEY DOCKET NO. 10992614 -1

Inventor(s):

Donald J. Stavely et al

Application No.: 09/955457

Filing Date:

Sep 17, 2001

Confirmation No.: 1314

Examiner: Chriss S. Yoder III

Group Art Unit: 2612

Title: System And Method For Simulating Fill Flash in Photography

Mall Stop Commissioner For Patents PO Box 1450 Alexandria, VA 22313-1450

TRANSMITTAL LETTER FOR DESPANSALLARIA

⊠ Response/Amendment New fee as calculated below No additional fee Other Revised Appeal Brief Filed 8-17-2005 in Response to Non-Company							Petition to extend time to re Supplemental Declaration Compliant Appeal Brief Fee\$ 0.00					
	CLAIMS AS			_					_			
(1) FOR	(2) CLAIMS REMAINING AFTER AMENDMENT	(3) NUMBER EXTRA	(4) HIGHEST NUMBER PREVIOUSLY PAID FOR			(5) (6		(6) ATE	(7) ADDITIONAL FEES			
TOTAL CLAIMS		MINUS	THE TOTAL PROPERTY OF THE PROP			=	0	x	\$50		0	
INDEP. CLAIMS		MINUS					0	x	\$200	\$	0	
	FIRST PRESENTATION	ON OF A MU	JLTIPLE	DEPE	NDENT C	AIM		+	\$360	\$	0	
XTENSION FEE	1st Month \$120	2nd N \$450	Month)	3rdMonth \$1020				4th Month \$1590		\$	0	
				<u></u>			(OTHER	RFEES	\$		
		T	OTAL A	DDITIO	DNAL FEE	FOR	THIS A	MENE	MENT	<u> </u>	0	

Charge S U to Deposit Account 08-2025. At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally charge any fees to Deposit Account 08-2025 under 37 CFR 1.16 through 1.21 inclusive, and any other sections in Title 37 of the Code of Federal Regulations that may regulate fees. A duplicate copy of this sheet is enclosed.

I hereby certify that	this paper is being
transmitted to the Pa	atent and Trademark Office
facsimile number (5)	71) 273-8300.
Date of facsimile:	4-18-2006

Typed Name:

Cathi Christensen

Respectfully submitted, Donald J. Stavely et al

David W. Boyd

Attorney/Agent for Applicant(s)

Reg No.: 50,335

Date: 18 APR - 2006

Telephone: 970 898 4475

Rev 10/05 (TransAmdFood

RECEIVED CENTRAL FAX CENTER

APR 18 2006

HEWLETT-PACKARD COMPANY

IP Administration, mail stop 35

P.O. Box 272400 Fort Collins, Colorado 80527-2400 PATENT APPLICATION

P.02

ATTORNEY DOCKET NO. 10992614-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

inventor(s):

Stavely et al.

Serial No.:

09/955,457

Examiner: Chriss S. Yoder III

Filing Date:

9/17/2001

Group Art Unit: 2612

Title:

System and method for simulating fill flash in photography

THE ASSISTANT COMMISSIONER OF PATENTS Washington, D.C. 20231

Sir:

An appeal brief was previously filed in this case on August 17, 2005. That previous brief was deemed defective for failing to comply with a provision of 37 CFR 41.37. Applicant regrets the inconvenience caused by the noncompliant brief, and encloses a revised brief herewith.

BRIEF ON APPEAL

INTRODUCTION

Pursuant to the provisions of 37 CFR § 41.30 et seq., applicants hereby appeal to the Board of Patent Appeals and Interferences from the examiner's rejection dated 07/15/2005. The claims in question have been finally rejected.

REAL PARTY IN INTEREST

The entire interest in the present application has been assigned to Hewlett-Packard Development Company, L.P., as recorded at Reel 014061, Frame 0492.

RELATED APPEALS AND INTERFERENCES

There are no related appeals or interferences.

STATUS OF CLAIMS

Claims 1-24 are pending in the application.

Claims 1-24 stand finally rejected, and are the subject of this appeal.

STATUS OF AMENDMENTS

No amendments have been filed after the final rejection mailed July 15, 2005.

SUMMARY OF CLAIMED SUBJECT MATTER

Claim 1 is directed to a method of simulating fill flash in a camera system, which is described in the specification at least at page 3 lines 14-21, page 10 lines 16-24, page 11 lines 3-5, page 11 line 23 through page 12 line 22, and Figure 9. The method includes determining distances from a camera to objects in a scene (901), taking a photograph without using a flash (908), and selectively adjusting the brightness or regions in the photograph based on the distance information (909).

Claim 7 is directed to a camera system that simulates fill flash. The camera system is described in the specification at least at page 4 line 17 through page 6 line 12, and in Figure 1. The camera system simulates fill flash by performing the steps of the method of claim 1.

Claim 14 is directed to a camera, which is described in the specification at least at

HP Docket No. 10992614-1

page 2 of 15

page 4 line 17 through page 6 line 12, and in Figure 1. The camera comprises means for performing the steps of the method of claim 1 for simulating fill flash.

GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

- Whether claims 1, 7, and 14 are unpatentable under 35 U.S.C. § 103(a) over Nishimura et al. (U.S. Pat. No. 5,617,141).
- 2. Whether claims 2-4, 8-11, 23, and 24 are unpatentable under 35 U.S.C. § 103(a) over Nishimura et al. (U.S. Pat. No. 5,617,141) in view of Parulski et al. (U.S. Pat. No. 5,563,658).
- 3. Whether claims 5, 6, 12, and 13 are unpatentable under 35 U.S.C. § 103(a) over Nishimura et al. (U.S. Pat. No. 5,617,141) in view of Miyadera (U.S. Pat. No. 5,550,587).
- 4. Whether claims 15-22 are unpatentable under 35 U.S.C. § 103(a) over Nishimura et al. (U.S. Pat. No. 5,617,141) in view of Kikuchi (U.S. Pat. No. 6,757,020).

ARGUMENTS

1. ARGUMENT: Rejection of claims 1, 7, and 14 under 35 U.S.C. § 103(a)

The examiner has rejected claims 1, 7, and 14 as being unpatentable under 35 U.S.C. § 103(a) over Nishimura et al. (U.S. Pat. No. 5,617,141). Applicant respectfully submits that the rejection is improper because the examiner has not made out a *prima facie* case of obviousness.

A. Applicable law

To establish a prima facie case of obviousness, three basic criteria must be met. First, there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of the ordinary skill in the art, to modify the reference or to combine reference teachings. Second, there must be a reasonable expectation of success. Finally, the prior art reference (or references when combined) must teach or suggest all the claim limitations. MPEP 2143.

The teaching or suggestions to make the claimed combination and the reasonable expectation of success must both be found in the prior art, not in the applicant's disclosure.

HP Docket No. 10992614-1

MPEP 2143 citing In re Vaeck, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991).

If an independent claim is nonobvious under 35 U.S.C. 103, then any claim dependent therefrom is nonobvious. *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988).

Without conceding any other elements required to establish a *prima facie* case of obviousness, Applicant respectfully submits that Nishimura et al. do not teach or suggest all the limitations of Applicant's claims 1, 7, and 14.

B. Claim 1

Claim 1 recites a method comprising in part selectively adjusting the brightness of regions of the photograph based on the distance information.

Nishimura et al. do not teach this claim element. In support of the rejection, the examiner cites column 5 line 52 through column 7 line 17 of Nishimura et al. While part of the cited passage does describe exposure control, no mention is made of selectively adjusting the brightness of regions of the photograph. The system of Nishimura et al. uses a different "detection characteristic" to set exposure depending on scene "ambience". (Nishimura et al. column 7 lines 14-17.) Exposure is controlled using a "stop" (Nishimura et al. column 2 lines 10-14 and column 3 lines 48-49) or an exposure time (column 4 lines 5-9). As is well known, a controlling exposure using either a stop, or an exposure time, or both affects the exposure of an entire photograph substantially uniformly. Different regions of the photograph are not affected selectively by Nishimura et al.

Applicant respectfully notes that the "regions" depicted in Figure 4 of Nishimura et al. are not regions of a photograph. Nishimura's Figure 4 is not a map of a scene or photograph, but is an abstract construct for categorizing a particular scene based on measurements of the subject illumination and a background distance. A particular location in the "map" of Nishimura et al. does not correspond to a particular location in a scene, but indicates a characteristic of the entire scene. (Nishimura et al. column 5 lines 18-51, column 2 lines 54-62, and Figure 4.)

C. Claim 7

Claim 7 is an apparatus claim to a camera system that simulates fill flash by performing the steps of the method of claim 1. Because, as is shown above, Nishimura et al.

HP Docket No. 10992614-1

page 4 of 15

do not teach or suggest all of the limitations of Applicant's claim 1, they similarly do not teach or suggest all of the limitations of Applicant's claim 7.

D. Claim 14

Claim 14 is an apparatus claim to a camera that comprises means for performing the steps of the method of claim 1. Because, as is shown above, Nishimura et al. do not teach or suggest all of the limitations of Applicant's claim 1, they similarly do not teach or suggest all of the limitations of Applicant's claim 14.

Because Nishimura et al. do not teach or suggest all of the limitations of Applicant's claims 1, 7, and 14, the examiner's *prima facie* case of obviousness fails. Reversal of the rejection is respectfully requested.

2. ARGUMENT: Rejection of claims 2-4, 8-11, 23, and 24 under 35 U.S.C. § 103(a)

The examiner has rejected claims 2-4, 8-11, 23, and 24 as being unpatentable under 35 U.S.C. § 103(a) over Nishimura et al. (U.S. Pat. No. 5,617,141) in view of Parulski et al. (U.S. Pat. No. 5,563,658). Applicant respectfully submits that the rejection is improper because the examiner has not made out a *prima facie* case of obviousness. Without conceding any other elements required to establish a *prima facie* case of obviousness, Applicant respectfully submits that the combination of Nishimura et al. and Parulski et al. does not teach or suggest all the limitations of these claims.

A. Claims 2-4 and 23

Applicant's claims 2-4 and 23 depend from claim 1 and add further limitations. Claim 1 is shown above to be patentable over Nishimura et al. because Nishimura et al. do not teach or suggest selectively adjusting the brightness of regions of the photograph based on the distance information. Parulski et al. do not supply this element, and therefore the combination of Nishimura et al. and Parulski et al. does not teach or suggest all of the limitations of claims 2-4 and 23.

B. Claims 8-11 and 24

Applicant's claims 8-11 and 24 depend from claim 7 and add further limitations.

HP Docket No. 10992614-1

page 5 of 15

Claim 7 is shown above to be patentable over Nishimura et al. because Nishimura et al. do not teach or suggest selectively adjusting the brightness of regions of the photograph based on the distance information. Parulski et al. do not supply this element, and therefore the combination of Nishimura et al. and Parulski et al. does not teach or suggest all of the limitations of claims 8-11 and 24.

Because Nishimura et al. and Parulski et al. in combination do not teach or suggest all of the limitations of Applicant's claims 2-4, 8-11, 23, and 24, the examiner's prima facie case of obviousness fails. Reversal of the rejection is respectfully requested.

3. ARGUMENT: Rejection of claims 5, 6, 12, and 13 under 35 U.S.C. § 103(a)

The examiner has rejected claims 5, 6, 12, and 13 as being unpatentable under 35 U.S.C. § 103(a) over Nishimura et al. (U.S. Pat. No. 5,617,141) in view of Miyadera (U.S. Pat. No. 5,550,587). Applicant respectfully submits that the rejection is improper because the references used in the rejection are improperly combined, and because even if the references are combined, the examiner has not made out a *prima facie* case of obviousness.

A. Improper combination of references

It is improper to combine references where the references teach away from their combination. MPEP 2145 citing *In re Grasselli*, 713 F.2d 731, 743, 218 USPQ 769, 779 (Fed. Cir. 1983)

Applicant's claims 5 and 6 recite in part adjusting the brightness of regions of a photograph (a limitation present in Applicant's claims 5 and 6 by virtue of their dependence on claim 1). Claims 12 and 13 recite in part a system that lightens regions containing objects closer to the camera in the resulting photograph in relation to regions containing objects farther from the camera. As is described at column 7 line 65 through column 8 line 43 of Miyadera, Miyadera's method of adjusting white balance involves computing gains based on a weighted average of the gains used for performing white balance under pure flash illumination (AR1 and AB1) and under pure ambient daylight (AR2 and AB2). Applicant notes that in all of the examples given, the weightings of these gains sum to unity, apparently so that white balance is adjusted without affecting brightness. In other words, Miyadera endeavors to preserve brightness rather than adjust it. Because Miyadera teaches away from

HP Docket No. 10992614-1

page 6 of 15

applicant's method, the combination of Miyadera with other art in establishing obviousness is improper.

B. Even if combined, the referenced do not support a prima facie case

Without conceding any other elements required to establish a *prima facie* case of obviousness, Applicant respectfully submits that the combination of Nishimura et al. and Miyadera does not teach or suggest all the limitations of claims 5, 6, 12, and 13.

i. Claims 5 and 6

Applicant's claims 5 and 6 depend from claim 1 and add further limitations. Claim 1 is shown above to be patentable over Nishimura et al. because Nishimura et al. do not teach or suggest selectively adjusting the brightness of regions of the photograph based on the distance information. Miyadera does not supply this element, and therefore the combination of Nishimura et al. and Miyadera does not teach or suggest all of the limitations of claims 5 and 6.

Furthermore, claims 5 and 6 recite in part the method of claim 1 wherein regions containing objects closer to the camera are lightened in the resulting photograph in relation to regions containing objects farther from the camera. The examiner relies on Miyadera to teach this claim limitation, citing column 14 lines 1-6 of Miyadera. The cited passage does not support the rejection. The cited passage describes "controlling a coefficient" used in "white balance adjustment" based on "image-object distance". Applicant first notes that white balance adjustment is not the same as <u>lighten[ing] regions</u> in a photograph.

And, as is explained above, Miyadera endeavors to preserve brightness, not adjust it, and therefore does not describe a method in which regions containing objects closer to the camera are lightened in the resulting photograph in relation to regions containing objects farther from the camera.

ii. Claims 12 and 13

Applicant's claims 12 and 13 depend from claim 7 and add further limitations. Claim 7 is shown above to be patentable over Nishimura et al. because Nishimura et al. do not teach or suggest selectively adjusting the brightness of regions of the photograph based on the distance information. Miyadera does not supply this element, and therefore the combination

HP Docket No. 10992614-1

page 7 of 15

P.09

of Nishimura et al. and Miyadera does not teach or suggest all of the limitations of claims 12 and 13.

Because Nishimura et al. and Miyadera are improperly combined, and because even when combined they do not teach or suggest all of the limitations of Applicant's claims 5, 6, 12, and 13, the examiner's prima facie case of obviousness fails. Reversal of the rejection is respectfully requested.

4. ARGUMENT: Rejection of claims 15-22 under 35 U.S.C. § 103(a)

The examiner has rejected claims 15-22 as being unpatentable under 35 U.S.C. § 103(a) over Nishimura et al. (U.S. Pat. No. 5,617,141) in view of Kikuchi (U.S. Pat. No. 6,757,020). Applicant respectfully submits that the rejection is improper because the examiner has not made out a prima facie case of obviousness. Without conceding any other elements required to establish a prima facie case of obviousness, Applicant respectfully submits that the combination of Nishimura et al. and Kikuchi does not teach or suggest all the limitations of these claims.

A. Claims 15-18

Applicant's claims 15-18 depend from claim 1 and add further limitations. Claim 1 is shown above to be patentable over Nishimura et al. because Nishimura et al. do not teach or suggest selectively adjusting the brightness of regions of the photograph based on the distance information. Kikuchi does not supply this element, and therefore the combination of Nishimura et al. and Kikuchi does not teach or suggest all of the limitations of claims 15-18.

B. Claims 19-22

Applicant's claims 19-22 depend from claim 7 and add further limitations. Claim 7 is shown above to be patentable over Nishimura et al. because Nishimura et al. do not teach or suggest selectively adjusting the brightness of regions of the photograph based on the distance information. Kikuchi does not supply this element, and therefore the combination of Nishimura et al. and Kikuchi does not teach or suggest all of the limitations of claims 19-22.

Because Nishimura et al. and Kikuchi in combination do not teach or suggest all of

HP Docket No. 10992614-1

page 8 of 15

the limitations of Applicant's claims 15-22, the examiner's prima facie case of obviousness fails. Reversal of the rejection is respectfully requested.

Conclusion

In view of the above, applicant respectfully requests that all of the examiner's claim rejections be reversed.

Respectfully submitted,

David W. Boyd

Reg. Number 50,335

April 7, 2006 Fort Collins, CO 80525 (970) 898-4475

CLAIMS APPENDIX

- A method of simulating fill flash in a camera system comprising the steps of:
 determining distances from the camera to objects in a scene;
 taking a photograph of the scene without using a flash; and
 selectively adjusting the brightness of regions of the photograph based on the distance
 information.
- 2. The method of claim 1 wherein determining the distances from the camera to objects in the scene comprises:
 - taking a series of photographs with the camera configured to focus on objects at various distances from the camera; and analyzing the series of photographs and corresponding focus distances.
- 3. The method of claim 2 wherein the analysis of the series of photographs comprises computing a spatial contrast metric.
- 4. The method of claim 3 wherein determining the distances to objects at locations in the scene further comprises:
 - locating the particular photograph in the series of photographs with the spatial contrast metric indicating that objects at that location in the scene in are more nearly in focus in that particular photograph than in any other in the series of photographs; and
 - identifying the distance from the camera to objects at that location in the scene as the focus distance stored in connection with that particular photograph.
- 5. The method of claim 1 wherein regions containing objects closer to the camera are lightened in the resulting photograph in relation to regions containing objects farther from the camera.

- 6. The method of claim 5 wherein regions are modified in the resulting photograph in accordance with the inverse square law.
- 7. A camera system which simulates fill flash by:

determining distances from the camera to objects in a scene; and taking a photograph of the scene without using a flash; and selectively adjusting the brightness of regions of the photograph based on the distances.

- 8. The camera system of claim 7 wherein the determining the distances from the camera to objects in the scene comprises:
 - taking a series of photographs with the camera configured to focus on objects at various distances from the camera; and
 - analyzing the series of photographs and corresponding focus distances to determine the object distances.
- 9. The camera system of claim 8, further comprising a computer separate from the camera, and wherein the series of trial photographs and their focus distances are transmitted to the separate computer for analysis and the simulation of fill flash.
- 10. The camera system of claim 8 wherein the analysis of the series of photographs comprises computing a spatial contrast metric.
- 11. The camera system of claim 8 wherein determining the distances to objects at locations in the scene further comprises:
 - locating the particular photograph in the series of photographs with the spatial contrast metric indicating that objects at that location in the scene are more nearly in focus in that particular photograph than in any other in the series of photographs; and
 - identifying the distance from the camera to objects at that location in the scene as the camera focus distance stored in connection with that particular photograph.

- 12. The camera system of claim 7 wherein the system lightens regions containing objects closer to the camera in the resulting photograph in relation to regions containing objects farther from the camera.
- 13. The camera system of claim 12 wherein the system modifies the brightness of regions in the resulting photograph in accordance with the inverse square law.
- 14. A camera, comprising:

means for determining distances from the camera to objects in a scene;
means for taking a photograph without using a flash; and
means for selectively modifying the brightness of regions in the resulting photograph
based on the distances.

- 15. The method of claim 1, further comprising varying the amount of brightness adjustment in response to a user control.
- 16. The method of claim 15, wherein the user control is comprised in the camera.
- 17. The method of claim 15, further comprising displaying the effect of the brightness adjustment on a display.
- 18. The method of claim 17, wherein the display is comprised in the camera.
- 19. The camera system of claim 7, wherein the camera system further simulates fill flash by varying the amount of brightness adjustment in response to a user control.
- 20. The camera system of claim 19, wherein the user control is comprised in the camera.

- 21. The camera system of claim 7, wherein the camera system further simulates fill flash by displaying the effect of the brightness adjustment on a display.
- 22. The camera system of claim 21, wherein the display is comprised in the camera.
- 23. The method of claim 2, wherein one of the series of photographs taken in determining the distances from the camera to objects in the scene is used as the photograph in which the brightness of regions is selectively adjusted.
- 24. The camera system of claim 8, wherein one of the series of photographs taken in determining the distances from the camera to objects in the scene is used as the photograph in which the brightness of regions is selectively adjusted.

EVIDENCE APPENDIX

None.

RELATED PROCEEDINGS APPENDIX

None,

HP Docket No. 10992614-1

page 15 of 15